

General Product Information:

| | | | |
|-------------------|--|--------------------|---------------------------------------|
| Item No.: | TT8602C | Item Family: | TT - Tritan |
| Item Class: | Bath, Wall Fixture | Suggested Room(s): | <input type="text" value="Bathroom"/> |
| Base Material: | Steel | Energy Star Rated: | No |
| Other Materials: | | | |
| Finish: | C - Polished Chrome Polished chrome | | |
| Item Description: | This timeless fixture features lovely bell-shaped shades that provide a bright, yet soft light, and the classic finish coordinates with many faucets styles. | | |

Dimensional Information:

| | | | |
|---------------------|------------------|--|--|
| Height(H): | 8.75 " | ADA compliant: | No |
| Length(L): | " | CUL listed: | Yes |
| Diameter(D): | " | CUL rated for: | Incandescent DAMP |
| Width(W): | 13.00 " | Instruction sheet: | <input type="text" value="IS-TT8742"/> |
| Depth(Dp): | " | Note: Copies of assembly / installation instruction sheets are available for download from our website. | |
| Extension(Ext): | 7.25 " | | |
| Net weight: | 3.50 lbs. | | |
| HCWO: | 6.00 " | Please note that the HCWO dimension represents the distance from the wall outlet box center to highest point of mounted product. | |
| Canopy / Backplate: | 9"L X 4.5"W | | |

Electrical Information:

| Socket Type | Socket Wire Rating | Switch Type | Voltage | Bulb Type | Bulb Wattage | Socket/ Bulb Qty | Bulb Supplied |
|----------------------|--------------------|-------------|---------|-----------|--------------|------------------|---------------|
| MED BASE PORC & RING | | | 120vAC | A19 MED | 100 | 2 | No |

Shade Information:

| Shade Number | Shade Type | Material | Meas. A | Meas. B | Meas. C | Meas. D | Meas. E | Glass Count | Stem Height | Description |
|--------------|-------------|----------|---------|---------|---------|---------|---------|-------------|-------------|-------------------|
| G142SH | Glass Shade | Glass | 5.50 | 5.50 | | | | | | ETCHED OPAL GLASS |

Meas. Key: A) Top dia. (Round, Drum, Oct), Top Flat to Flat (Hex), Minor axis (Oval), Top short side (Rect / Sq. Cut Corner), Top (Sq. Cut Corner) | B) Bottom dia. (Round, Drum, Oct), Bottom Flat to Flat (Hex), Major axis (Oval), Top long side (Rect / Sq. Cut Corner), Bottom (Sq. Cut Corner) | C) Side (Round, Drum, Hex, Oct, Sq. Cut Corner), Bottom minor axis (Oval), Bottom Short side (Rect / Sq. Cut Corner) | D) Bottom major axis (Oval), Bottom long side (Rect / Sq. Cut Corner), Side (Rect / Sq. Cut Corner, Oval).

Shipping Information:

| Pack Type | Pack Length | Pack Width | Pack Height | Gross Wgt | Girth | Cube | Pack QTY | Dim Wgt |
|------------------------|-------------|------------|-------------|-----------|-------|------|----------|---------|
| Individual Reshippable | 15.00 | 14.50 | 9.00 | 6.50 | 47.00 | 1.13 | 1 | 7 |

Replacement Parts Information:

| Part Number: | Description: | Qty: |
|--------------|--------------------------|------|
| 18602CTT | BASE PLSH CHROME TT8602C | 1 |
| G142SH | GLAS 5.38"D ETCH OPAL | 2 |
| 8598KIT | KIT PLSH CHRM HDWRE | 1 |

Note: Replacement parts are available by contacting our customer service department or your Quozel Authorized dealer.

Mounting Hardware:

Supplied chain:

Mounting Hardware

- (1) "OFFSET" CROSSBAR WITH LANYARD OPENING
- (1) GROUND SCREW, 8-32 x 3/8", GREEN
- (2) LOCKNUTS, (2) SCREWS, (2) WASHERS, (2) SLOTTED LOCK BALLS
- (1) NIPPLE, 1/8 IPS (PROPER LENGTH FOR CANOPY)
- (2) LOCKWASHER, STAR 1/8 IPS
- (1) LOCK KNOB OR BALL, 1/8 IPS TAPPED

Product Photo:

